



Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

SECTION 1: Identity of the substance / mixture and company / distributor

1.1. Substance / Mixture identity

Name of the product MOLD OIL M 24

Item number 29195

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses

Industrial oil

Uses not recommended Use only for the intended purpose.

1.3. Information of the safety data sheet supplier

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar / İstanbul Tel: +90 850 339
1919
Fax: +90 216 275 3854
miningiyag@petrolfisi.com.tr

Contact person Customer Service: mineiyag@petrolfisi.com.tr

1.4. Emergency phone number

Emergency phone number Mineral Oil Customer Service: 0850 339 1919 (office hours)

National emergency phone National Poison Information Center (UZEM): 114 Emergency Health Services: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification TC 28848

Physical damages Not classified as harmful

Health hazards Kans. 1B- H350

Environmental damages Not classified as harmful

2.2. Label elements

Hazard sign



Warning word Danger

Hazard Statements H350 May cause cancer.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Precautionary statements

P201 Obtain special instructions before use.
P202 Do not handle before all precautionary statements have been read and understood.
P280 Wear protective gloves / protective clothing / eye protection / face protection. P308 + P313 IF exposed or concerned: Get medical advice / attention. P405 Store locked up.

P501 Dispose of contents / container in accordance with national regulations.

Contents

Extracts (petroleum), light paraffinic distillate solvent (C20-C30)

2.3. Other damages

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrogen treated heavy paraffinic	60-80%
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 012119484627-25-0033
Classification	
Not classified as harmful	
Extracts (petroleum), light paraffinic distillate solvent (C20-C30)	10-20%
CAS number: 64742-04-7	EC number: 265-103-7
Classification	
Kans. 1B- H350	
Aquatic Chronic 3 - H412	

The full text of the hazard statements is given in Section 16.

Reviews on the composition

DMSO contents of some substances are classified by the manufacturer as <3% according to IP 346.

Content notes

See Section 8 for occupational exposure limits.

SECTION 4: First aid measures

4.1. Description of first aid measures General

information	If in doubt, seek medical advice immediately.
Breathing	Bring the exposed person to fresh air and keep them warm and at rest in a position where they can breathe comfortably. Place the unconscious person on his side in the first aid position and allow breathing to take place. Loosen tight parts of clothing such as a collar, tie or belt. If in doubt, seek medical advice immediately.
Swallowing	Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by healthcare personnel. If in doubt, seek medical advice immediately.
Skin contact	Clean the remaining parts of the skin. Wash skin thoroughly with soap and water. If symptoms are severe or persistent, seek medical attention.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Eye contact Remove contact lenses, if present and easy to do. Rinse constantly. Do not rub your eyes. Seek medical help.

First aid workers preservation First aid personnel should wear appropriate protective equipment during rescue.

4.2. Most important symptoms and effects, both acute and delayed General

information There are no specific symptoms known.
Breathing There are no specific symptoms known.
Swallowing There are no specific symptoms known.
Skin contact There are no specific symptoms known.
Eye contact There are no specific symptoms known.

4.3. Indication of any medical attention and special treatment needed Information to be

given to the doctor Treat symptomatically.
Special treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Fire extinguishers

Suitable extinguishing agents Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguisher substances Do not use water jet to extinguish the fire, in case it spreads the fire.

5.2. Special hazards arising from the substance or mixture Special hazards

Not known.

Harmful combustion products Toxic gases are formed as a result of burning. It can burn at high temperatures. A complex mixture of airborne solids, liquids and gases can be released. Carbon monoxide (CO). Sulfur oxides. Nitrogenous gases (NOx). Carbon dioxide (CO2). Unidentified organic or inorganic compounds.

5.3. Advice for firefighters

During fire fighting preservative to be taken measures No action should be taken without proper training or any personal hazard.

For firefighters Positive pressure self-contained breathing apparatus and suitable protective clothing
special protective equipment get dressed. Wear special protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions

Wear protective clothing as shown in Section 8 of this Safety Data Sheet.

Emergency personnel for those who are not Necessary precautions should be taken so that personnel who do not have proper training do not interfere.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

For emergency responders Stop the source of the leak if it can be done without risk. Limit the spill to prevent further contamination of the soil, surface or underground water. Clean up the spilled material as soon as possible, following the precautions in the Exposure Controls / Personal Protection section. Use non-flammable absorbent materials or appropriate techniques such as pumping. Whenever possible or see fit, dig out the contaminated soil from the area. Place contaminated items in disposable containers and dispose of in accordance with regulations. In the event of a spill of heated substance, allow it to cool before handling by disposal methods.

6.2. Environmental measures

Environmental measures The product contains a substance that is toxic to aquatic organisms and can cause long-term adverse effects in the aquatic environment. Apply appropriate protective measures to prevent spilled material from entering water sources, watercourses, drains, soil. The environmental authority must be notified for all significant spills. If the product has caused environmental pollution, inform the relevant authorities.

6.3. Methods and materials for containment and cleaning

Spill removal methods For small spills: Stop leak if not at risk. Leak sources take away. Absorb with inert dry material and place in a suitable waste disposal container. Dispose through a licensed waste disposal contractor. Large spills: Stop leak if not at risk. Remove sources of leak from area. Approach with the wind behind you. Prevent from entering drains, water sources, basements or confined areas. Wash the spillage in a waste water treatment plant or proceed as follows. Collect spills with non-flammable, absorbent material and store in packaging according to legal regulations. Dispose of via a licensed waste disposer. Contaminated absorbent material may present hazard similar to spilled product.

6.4. Reference to other sections

Reference to other sections For personal protection see section 8. For waste disposal, see Section 13. See Section 1 for emergency contact information. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Do not handle before all precautionary statements have been read and understood. Avoid exposure, obtain special instructions before use. Wear protective clothing as shown in Section 8 of this Safety Data Sheet. Avoid breathing its gas, fumes, vapors or spray. Protect from freezing and direct sunlight. Avoid release to the environment.

Advice on general occupational hygiene Do not eat, drink or smoke anything while using this product. Good personal hygiene procedures should be followed. Wash contaminated skin thoroughly after handling. Take off immediately all contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage measures Store in accordance with national regulations. Protect from freezing and direct sunlight.

Storage class Chemical storage.

7.3. Specific end use (s)

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Specific end use (s) The identified uses for this product are detailed in Section 1.2. It should be used as specified in the
Directions for use product data sheet.

SECTION 8: Exposure Controls / personal protection

8.1. Control parameters

Occupational exposure limits

Distillates (petroleum), hydrogen treated heavy paraffinic

Oil mist: TWA: 5 mg / m³ (ACGIH). In no case should this limit be exceeded or, if more restrictive, the local limit used.

Extracts (petroleum), light paraffinic distillate solvent (C20-C30)

ACGIH

TLV / TWA

5 mg / m³

TLV / STEL

10 mg / m³

Content notes No other information is available.

Biological limit values No other information is available.

DNEL No other information is available.

DMEL No other information is available.

PNEC No other information is available.

Highly refined mineral oil (CAS: 64742-01-4)

Content notes Oil mist TWA: 5 mg / m³ (ACGIH).

8.2. Exposure controls Protective

equipment



Personal protection

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. The effectiveness of personal protective equipment, inter alia, temperature and

It depends on the degree of ventilation. Depending on the specific situation in question, always seek professional support. Keep away from foodstuffs, food and drink. Instantly remove contaminated and impregnated clothing. Wash hands during breaks and after work. Store protective equipment separately.

Eye / Face protection

Wear chemical splash goggles or a face shield that covers your face tightly.

Hand protection

Use of chemical resistant, waterproof gloves is recommended.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Other skin and body protection	Wear apron or protective clothing in case of contact. Good personal
measures	hygiene procedures should be followed.
Respiratory system	Respiratory protection should be worn if the amount of pollution in the air exceeds the recommended occupational exposure
preservation	limits.
Thermal damages	If there is danger of contact with hot product, all protective equipment suitable for use with high temperatures should be used.
Environmental exposure	Compliance of ventilation emissions and work process equipment with environmental protection legislation
controls	requirements should be checked. Store in a confined area surrounded by a bund to prevent leakage into drains and / or water sources.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties Appearance

Viscous liquid.

Color Brown.

Smell Characteristic.

Odor threshold Insufficient data.

pH Scientifically unjustified.

Melting point / freezing point - 9 ° C

Initial boiling point and Insufficient data.
boiling range

Flash point ~ 260 ° C Cleveland open cup. Lack

Evaporation rate of data.

Evaporation factor Lack of data.

Flammability (solid, gas) Insufficient data.

Upper / Lower flammability or
explosive limits Insufficient data.

Other flammability Insufficient data.

Vapor pressure Insufficient data.

Vapor density Insufficient data.

Relative density Insufficient data.

Volumetric density ~ 0.900 g / ml

Resolution (s) It is insoluble in water.

Partition coefficient Insufficient data.

Self ignition
temperature Insufficient data.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Decomposition temperature	Insufficient data.
Viscosity	Insufficient data.
Explosive properties	Insufficient data.
Explosive under the influence of flame	Insufficient data.
Oxidizing properties	Insufficient data.
Descriptions	No other information is available.
9.2. Other informations	
Other informations	No other information is available.
Refractive index	No other information is available.
Particle size	No other information is available.
Molecular weight	No other information is available.
Volatility	No other information is available.
Saturation concentration	No other information is available.
Critical temperature	No other information is available.
Volatile organic compound	No other information is available.

SECTION 10: Stability and reactivity

10.1. Reaction

Reaction	The product is stable under normal conditions.
-----------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Hazardous reaction will not occur under normal conditions of storage and use.
---	---

10.4. Conditions to avoid

Conditions to avoid High temperature, sparks and open flames. Exposed to high heat or direct sunlight
avoid quitting. Static electricity and sparks must be prevented.

10.5. Incompatible materials Materials to avoid Strong oxidizing agents. Perchloric acid Aluminum. Chlorates. Nitrates. Peroxides.

10.6. Hazardous decomposition products

Hazardous decomposition products	Hydrocarbons. Sulfur oxides Carbon oxide
---	--

SECTION 11: Toxicological information

11.1. Information on toxic effects

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Toxic effects	No other information is available.
Other health effects	No other information is available.
Acute toxicity - oral Summary	Based on available data, the classification criteria are not met. Based on
Notes (oral LD₅₀)	available data, the classification criteria are not met.
Acute toxicity - dermal Summary	Based on available data, the classification criteria are not met. Based on
Notes (dermal LD₅₀)	available data, the classification criteria are not met.
Acute toxicity - inhalation	Based on available data, the classification criteria are not met. Based on
Summary	available data, the classification criteria are not met.
Notes (inhalation LC₅₀)	Based on available data, the classification criteria are not met.
Skin corrosion / irritation	Based on available data, the classification criteria are not met. No other
Summary	information is available.
Skin corrosion / irritation	No other information is available.
Animal data	No other information is available.
Human skin model test Extreme	No other information is available.
pH	No other information is available.
Serious eye damage / irritation	Based on available data, the classification criteria are not met. No other
Summary	information is available.
Serious eye damage / irritation	No other information is available.
Respiratory sensitization	Based on available data, the classification criteria are not met. No other
Summary	information is available.
Respiratory tracts sensitization	No other information is available.
Skin sensitization	Based on available data, the classification criteria are not met. No other
Summary	information is available.
Skin sensitization	No other information is available.
Germ cell mutagenicity	Based on available data, the classification criteria are not met. No other
Summary	information is available.
Genotoxicity - in vitro	No other information is available.
Genotoxicity - in vivo	No other information is available.
Carcinogenicity	Carcinogenicity
Summary	

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Carcinogenicity It can cause cancer. Supplier information. No other

Target for carcinogenicity organs information is available.

IARC carcinogenicity Not listed.

NTP carcinogenicity Not listed.

Reproductive toxicity

Summary Based on available data, the classification criteria are not met. No other

Reproductive system toxicity fertility information is available.

Reproductive system toxicity developmental No other information is available.

Specific target organ toxicity - single exposure Summary

Based on available data, the classification criteria are not met.

BHOT- single exposure No other information is available.

Target organs No other information is available.

Specific target organ toxicity - repeated exposure Summary

Based on available data, the classification criteria are not met.

BHOT- repeated exposure No other information is available.

Target organs No other information is available.

Aspiration hazard

Summary Based on available data, the classification criteria are not met. No other

Aspiration hazard information is available.

Toxicokinetics No other information is available.

General information No other information is available.

Breathing No other information is available.

Swallowing No other information is available.

Contact with skin No other information is available.

Eye contact No other information is available.

Acute and chronic health hazards No other information is available.

Contact ways No other information is available.

Target organs No other information is available.

Medical symptoms No other information is available.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Medical opinions No other information is available.

Toxicological information on ingredients

Distillates (petroleum), hydrogen treated heavy paraffinic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀> 2000 mg / kg, Oral,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀> 2000 mg / kg, Dermal,

Carcinogenicity

Summary The base oils in the product contain less than 3% DMSO according to IP 346.

Highly refined mineral oil

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀> 2000 mg / kg, Oral,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀> 2000 mg / kg, Dermal,

SECTION 12: Ecological information

Ecotoxicity The product contains a substance that is toxic to aquatic organisms and can cause long-term adverse effects in the aquatic environment.

Ecological information on ingredients

Distillates (petroleum), hydrogen treated heavy paraffinic

Ecotoxicity

May cause harm to aquatic organisms. Spillages create a film layer on the water surface and prevent oxygen transfer.

12.1. Toxicity

Toxicity Based on available data, the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data, the classification criteria are not met. No other

Acute toxicity - fish information is available.

Acute toxicity - aquatic invertebrates No other information is available.

Acute toxicity - aquatic plants No other information is available.

Acute toxicity - microorganisms No other information is available.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Acute toxicity - terrestrial organisms No other information is available.

Chronic aquatic toxicity

Summary Based on available data, the classification criteria are not met. No other

Chronic toxicity- in fish early life stage information is available.

Short term toxicity - embryo and early larval stages No other information is available.

Chronic toxicity- aquatic invertebrates No other information is available.

Toxicity to soil No other information is available.

Toxicity to terrestrial plants No other information is available.

12.2. Persistence and degradability

Persistence and degradability No other information is available.

Phototransformation No other information is available.

Stability (hydrolysis) No other information is available.

Biodegradation No other information is available.

Biological oxygen demand No other information is available.

Chemical oxygen demand No other information is available.

Ecological information on ingredients

Distillates (petroleum), hydrogen treated heavy paraffinic

Biodegradation Not expected to be readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential There is no specific test data available.

Partition coefficient Insufficient data.

Ecological information on ingredients

Distillates (petroleum), hydrogen treated heavy paraffinic

Bioaccumulative potential Potentially bioaccumulating.

12.4. Mobility in soil

Mobility No other information is available.

Adsorption / desorption coefficient No other information is available.

Henry's law constant No other information is available.

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Surface tension No other information is available.

Ecological information on ingredients

Distillates (petroleum), hydrogen treated heavy paraffinic

Mobility It is liquid in most environmental conditions. It floats on water. Groundwater may become contaminated if it spreads to the soil.

12.5. Results of PBT and vPvB assessment

PBT and vPvB results of the assessment No other information is available.

Ecological information on ingredients

Extracts (petroleum), light paraffinic distillate solvent (C20-C30)

PBT and vPvB of evaluation results Not applicable.

12.6. Other adverse effects Other

adverse effects No other information is available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods General

information Waste generation should be minimized or avoided wherever possible.

Waste treatment methods Reuse or recycle products wherever possible. Wastes, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated appropriate containers and labeled according to their contents. Collect waste and place it in suitable waste disposal containers and seal tightly. Store only in properly labeled containers. Dispose of waste in a licensed waste disposal facility in accordance with the requirements of the local Waste Disposal Authorities.

Waste class Waste code classification should be carried out according to the European Waste Catalog (EWC).

SECTION 14: Transport information

General It was not edited.

Road shipment notes Not classified.

Railway shipment notes Not classified.

Sea shipment notes Air Not classified.

shipment notes Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Not applicable.

14.3. Transport hazard class (es)

It was not edited.

14.4. Packing group

Not applicable.

14.5. Environmental damages

Environmentally harmful / marine pollutant

Not applicable.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

MARPOL 73/78 Annex II and IBC Not applicable.

pouring by code

transportation

SECTION 15: Regulatory information

15.1. Safety, health and environmental legislation specific for the substance or mixture

National regulations

Republic of Turkey Ministry of Environment and Urbanization, Regulation on Classification, Labeling and
Packaging of Substances and Mixtures, dated December 11, 2013, No.
TC Ministry of Environment and Urbanization Regulation on Safety Data Sheets Regarding Hazardous Substances and
Mixtures
Republic of Turkey Ministry of Environment and Urbanization Safe Storage Guide
Republic of Turkey Ministry of Labor and Social Security, Regulation on the Use of Personal Protective Equipment at
Workplaces, dated 2 July 2013 and numbered 28695

EU legislation

<https://echa.europa.eu>

SECTION 16: Other information

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

In the safety data sheet used abbreviations and acronyms	EU: European Union DMSO: Dimethyl sulfoxide PPE: Personal protective equipment STEL: Short term exposure limit TC: Republic of Turkey TWA: Workplace exposure limits UZEM: National Poison Information Center ADR: European Agreement on the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. GHS: Global Harmonized System. IATA: International Air Transport Association. PBT: Persistent, Bioaccumulative and Toxic substance. REACH: EU Regulation (EC) No 1907/2006 on Registration, Evaluation, Authorization and Restriction of Chemicals. vPvB: Very Persistent, Very Bioaccumulative. MARPOL 73/78: International Convention for the Prevention of Pollution from Ships, 1973, as amended by the 1978 Protocol. IARC: International Agency for Research on Cancer.
Abbreviations and acronyms	Kans. = Carcinogenicity Aquatic Chronic = Harmful to the aquatic environment (chronic)
General information	Only trained personnel should use this material. This document contains important information for the safe storage, transport and use of this product. The information in this document should be brought to the attention of the person responsible for security issues in your organization. Material Safety Data Sheet Distribution: The information in this document should be made available to all persons who can handle this product. Uses and Restrictions: This product should not be used outside of the applications recommended in Section 1 without the prior recommendation of the supplier. This product is not used as a solvent or cleaning agent to set fire or to make it brighter and to clean the skin. Disclaimer: This information is based on our current knowledge and the product is described for the purpose of health, safety and environmental requirements only.
Main literature references and sources of information	This SDS is based on the information received from our raw material suppliers.
Dated December 11, 2013 and 28848 Kans. 1B- H350: Calculation method., Supplier information	
According to the regulation numbered classification conditions	
Education advice	Untrained personnel should not be used.
Revision comments by	This is the first arrangement.
	Sevda SAHAN Certified Safety Data Sheet Maker (Certificate No: GBF01.23.08; Date: 03.11.2018-03.11.2021)
How many regulations	0
Preparation date	01.10.2019
SDS No	20614

Part I
SAFETY DATA SHEET
MOLD OIL M 24

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

All of the hazard statements	H350 May cause cancer. H350 May cause cancer if swallowed. H412 Harmful to aquatic life with long lasting effects.
-------------------------------------	---

This information relates only to a specific specific substance and should not be used in a composition or any process where the same substance is used in combination with other substances. This information is accurate and reliable as of the date specified, within the firm's high level of knowledge and opinion. However, no warranty or representation can be made for its accuracy, reliability and completeness. It is the user's own responsibility to be satisfied that this information is suitable for his own use.